



TESORION

cybersecurity | all•in

Judge and NoCry Decryptor Guide

Table of Contents

1. HOW TO START.....	3
1.1. DOWNLOAD THE JUDGE_NOCRY DECRYPTOR	3
1.2. EXECUTE THE DECRYPTOR.....	3
1.3. ACCEPT WARNING.....	3
1.4. ACCEPT END-USER LICENSE AGREEMENT	4
2. USING JUDGE_NOCRY DECRYPTOR.....	5
2.1. START.....	6
2.2. UPLOAD AN ENCRYPTED FILE.....	7
2.4. SELECT PATH TO DECRYPT	9

1. How to start

1.1. Download the Judge_NoCry Decryptor

Go to nomoreransom.org and download the executable.

1.2. Execute the decryptor


Go to your “Downloads” folder and double-click on Judge_NoCry-Decryptor.exe

1.3. Accept warning

Press the button ‘Run’ in the warning.


1.4. Accept End-User License Agreement

To accept the End-User License Agreement, click on the button "Accept the EULA".




2. Using Judge_NoCry Decryptor

Please read the instructions on the Usage tab, it explains what files you can upload. This tool can be used to decrypt files that were encrypted by the **Judge** and **NoCry** Ransomware.



2.1. Start

In the left corner, go to the tab “Start”.




2.2. Upload an encrypted file


To be able to properly decrypt your files we need to analyze a file of the type: docx, pptx, xlsx or zip of max 9 MB

Click on the button 'Select File'


There is a pop-up where you can browse for an encrypted file.




Press the 'Send' button



You can now see in the bottom left corner that the server is busy processing your request.
This can take a long time 15 minutes up to 1 hour!




When it was successful you can see "Success" in the lower left corner.



2.4. Select path to decrypt

When previous step was successful you can decrypt a specific path, including all subfolders. Select the path you want to decrypt.



- Press the 'Decrypt' button

After the decryption has finished, it will show “Decryptor succeeded” in the bottom left corner.

